


# Permanent and Portable Vinyl Floors




## Harlequin **Allegro**™





## Harlequin **Reversible**™






### Harlequin Cascade™




## Harlequin Reversible Pro™







## Harlequin Fiesta™



## Harlequin Standfast™



## Harlequin **Studio**™



## Harlequin Studio B™



## Harlequin Marine™

Harlequin Marine is extensively installed on cruise liners and conforms to marine standards and fire ratings. It's specified for permanent installation and is suitable for fitting within confined spaces on marine vessels and for scenery docks on cruise ships.

**Harlequin Marine** is also suitable for multi-purpose use, percussive dance including Irish and tap, concerts, television, theater and operatic performances.

Harlequin Marine is a hard-wearing, homogeneous PVC dance floor. It's fire resistant, with a slightly marbled surface to resist scuffing and hide marks. It can be laid on any hard, smooth sub-floor and is an excellent choice as the vinyl performance surface in conjunction with a Harlequin sprung floor.








PERMANENT 2

#### DEDMAN

#### Permanent or Portable?

- A permanent vinyl floor is glued down with adhesive and can't be removed without risking damage to the floor.
- A semi-permanent (portable) vinyl floor is loose-laid using doublesided tape and then welded at the seams. The seams can later be cut and the floor taken up.

## Harlequin FreeStyle™



 A loose-lay (portable) vinyl floor is rolled out and the seams are either covered with tape or temporarily secured to the sub-floor on the underside with double-sided tape.

Specification guide	Permanent or Portable	Roll width (m)	Roll lengths (m)	Thickness (mm)	Weight (lbs/yd²)	Standard colors	Fire rating
Allegro	Both	1.5	10, 15, 18, 20, 25	8.5	11	Black, Gray	ASTM E648, E662-Class 1
Cascade	Both	2	10, 15, 18, 20, 25, 30	2	4.8	Black, Gray, Dark Gray, Beige, Hazelnut, White	ASTM E648, E662-Class 1
Fiesta	Permanent	2	20, 25	2	5.5	Wood Tone	ASTM E648, E662-Class 1
FreeStyle	Both	1.5	15, 20, 25, 30	4.5	4.9	Black, Gray	ASTM E648, E662-Class 1
Marine	Permanent	2	20	2	6.2	Black	ASTM E648, E662-Class 1
Reversible	Portable	2	10, 15, 18, 20, 25, 30	1.3	2.9	Black/White, Black/Gray, Projection Gray/Black, Chroma Key Green/Yellow, Chroma Key Blue/ Red, Fog/Tan, Hazelnut/Beige	ASTM E648, E662-Class 1
Reversible Pro	Portable	2	15, 18, 20, 25, 30	1.5	4.1	Black/White, Black/Gray	ASTM E648 - 10
Standfast	Permanent	1.5	20	2.6	6.3	Black, Gray, Dark Gray	ASTM E648, E662-Class 1
Studio	Both	1.5	10, 15, 18, 20, 25, 30	3	4.2	Black, Gray, White, Fog, Light Gray NYC Ballet Gray, Beige	ASTM E648, E662-Class 1
Studio B	Both	1.5	10, 15, 18, 20, 25, 30	3	4.8	Black, Gray	ASTM E648, E662-Class 1

\*Custom colors available by special order for Studio and Cascade only.

HARLEQUIN FLOORS
American Harlequin Corporation

1531 Glen Avenue Moorestown, NJ 08057

800-642-6440 contact@harlequinfloors.com www.harlequinfloors.com PHILADELPHIA FORT WORTH LOS ANGELES LONDON PARIS BERLIN LUXEMBOURG MADRID SYDNEY HONG KONG TOKYO

